	CAF	PAB	ILITY STA	TEN	MENT FOR D	DEFI	ENSE S	SUPP	LY CENTER	۲ C	OLUMBUS		
Со	ompany Name: AZC Corporation, Inc								CAGE Co	CAGE Code: 11111 DUNS #: 999999999			
DC									Position	Position: Sales			
	Idress: A2 South Street									Office Phone: 555-555-5555			
										-	55-555-5551		
Cif	City, St., Zip: St. Marries, AZ 11111						Fax: 555-	555-	5552				
	nail: asmith@a	ZCCC	orr.hi										
X	INDUSTR' Maritime	Y FO			<del>'y is the main fo</del> e / Land Veh		<u> </u>		<mark>turing capabili</mark> ectronics	ties?	(mark any that apply)		
^					e / Land ven (Mark type of						2 2 2 2 2 2 2		
,	Structural (				Pumps /			<del>you ma</del>			Commodities:		
X	Power train			X	Pneumatics /			M			n Machined Parts and		
X	Suspension	Com	ponents	^	Plumbing /	Fixtu	ires	Me			ool Room & Pressroom		
^	Fuel System	Com	ponents	х	Gun / Weap	on P	arts				/ Welded Assemblies		
X	Steering / Axl	e Cor	mponents		Tubes /	Hose	s				& B/O Plates		
X	Arresting / Br		-		Electrical / E						erospace Fixture Details		
		PRO	CESS CAPA	BILI	TIES: (Mark a	all tha	it apply a	nd note					
$\dashv$	Casting Forging			X	Extrusions Packaging					List (	Other Processes: Wire EDM		
寸	Stamping			X	Plating					CN	IC Machining		
	Grinding				Electronic / El	lectri	cal Asser	mbly	Pred	cisio	n Metal Stampings		
X	Screw Threads		·	X	Tooling / Patto						Deep draws		
X	Machining			X	Surface Treat	ment					Extrusions		
X	Welding Assembly			X	Painting CARC Paint				Complex forms				
X	Kitting			^	Coatings & Co	orrosi	ion Treat	ment	High-Def Plasma Cutting P/B Forming				
X	Sewing				Sheet Metal				Drilling				
v	Ctool (Combon)	MA	TERIAL CAP	ABII	LITIES (Mark al		apply ar	nd note					
X	Steel (Carbon) Stainless Steel			X	Precious Meta Hastelloy	ais			List Oth		aterial Capabilities: HSLA		
X	Tool Steel			X	Inconel					omemoly			
	Armor Plate			X	Monel				Invar				
X	Cast Iron			X	Powdered Metals					Arm	or (Steel)		
X	Aluminum				Fabric			Alloy Steels					
X	Copper Bronze				Rubber				Hot & Cold Rolled Steel				
X	Brass			X	Plastic Ceramic				Wood				
X	Titanium			X	Composite			1					
X	Nickel			X	Glass								
					BILITIES OR L	1	ATIONS	(i.e. D					
2			to 10" dia x es: 10" x 32"			5					+/005" +/0005"		
3			.015; Burnin			6					ol: +/0001"		
		_		_			ake / Mo	del, T	_		ne Tonnage, etc)]		
	(1) Ikeda RMS & 23x37 work	S-9 R	adial Drill – 9 a w/ 2" drill &	9" cc	lumn w/ 3' lg		(1) Chi	mer G6	4S Submerge	ed ty	<b>/pe Wire Cut EDM</b> – 23.6" 36"x27.5"x11.6" part @ 992		
1	(1) 3-axis Ok					11			lbs NC turning center - 8" dia x 12" lg w/ 9x13 (xz				
2	(1) Hansvedt	SM-		ntior	nal EDM – 6"	12	(1) 1	110-ton	Clearing #11	0 O	ar feeder w/ live tooling pen Back Inclinable OBI		
3			15 tbl w/ 6x8 platen			13			16	" thr			
4		(xyz)	tbl & 66"x 26"	" tbl		14		24" be	liss C-75 OBI Punch Press – 6" stroke x 36" x ed w/ 24x18 slide & decoiler / straitener				
5	(1) Kohema (	hea	d w/ 26.75" ga	ар		15			spindle hole	dia 8	Auto Screw Lathes – 0.24 4.4" tapping		
6	(1) Moore #3 Jig Grinder – 12" x 24" w/ 0.0001 digital readout					16	` '		16" (xyz)	tvl &	ual VMC mill – 33" x 16" x .10x50 tbl		
7	(8) Bridgeport Vert Mill w/ 42" table & digital readout				17	` `		(xywz) tv	/ 1 & 9	ert Mills – 39" x 17" x 5.5" 9"x49" tbl ress – 2" stroke x 23.5" x14			
8	` '	(1) Brown & Sharpe Microval 343 CMM – 14" x 16" x 12" (1) 40-ton Rousselle Punch Press – 3" stroke x				18		k	oed w/ 10.25x	8 slic	de & 7.5" throat  Press – 3.5" stroke x 32" x		
9		' x 16	5" bed w/ 9.5"	thro	at	19	. ,	2	21" bed w/ 21x	16 ra	am & 11" throat  Id Mark-121 OBS Punch		
10		nner	& Reverse E	ngin	eering Cap	20	, ,	Р	<b>Press</b> – 4.3" st	roke	x 45" x 27" bed		
1			<mark>LITARY or IN</mark> O 9001:2008		STRY CERTIFI	CAT 4	IONS / C	UALIT			LACE: & D1.2		
-		13	<u> </u>				Alliand	ce w/ T			& छ।.2 Components & Assemblie		
3	ı		TS 16949:20 AR compliant			5 6			(7	ΓEC	<b>A</b> )		
<u> </u>			compilain			•							

	SMALL BUSINESS SOCIO-ECONOMIC PROGRAM CLASSIFICATIONS									
X	Small Business	HUBZone Certified			Other:					
	Small Disadvantaged Business	X	Service Disabled Veteran Owned							
X	Woman Owned Small Business		8(a) Program							
	CTITE WITCH CHILD		0(4) 1 10914111							

OTHER INFORMATION (eg: FSCs - NAICS - Web site - Overflow of other sections): AREA EXPANDS

Web: www.ishmaelcorp.com

How many Axes' is your machinery capable of maximizing?

FSCs - 2510, 2540, 5340, 5342

NAICS - 332119, 332312, 332322, 332323, 332439, 332510, 332710, 332721, 332722, 332994, 332999, 333514, 333517, 336360, 336370, 336390, 336413, 336419, 336991, 336992

DISTRIBUTORS/DEALERS: List Name of Approved Source(s) of Supply & CAGE(s) w/ FSC's -

- (2) 4-axis FADAL 2040A CNC VMC 40" x 20" x 28" (xyz) & 48"x20" tbl w/ 40 taper
- (1) 4-axis FADAL 3060A CNC VMC 30" x 16" x 20" (xyz) & 39"x16" tbl w/ 40 taper
- (1) 3-axis PROTOTREAK, DPM BED MILL 33" x 16" x 17" (xyz) tvl w/ AGE 3 controller
- (1) Messer Pro-Master II 4700.6704, CNC operated, Fine Plasma Cutting system @ 1" AL & Steel & 3/4" Stainless Steel cutting
- (1) 135-ton Cincinnati Series 5 Hydraulic Press Brake 3" stroke x 96" bed w/ 36"x1/4 bend & 8" throat
- (1) Roper Whitney Piercing Pro-Fab Hardware Press 15" x 30" w/ 1" to 1/8" dia @ 15-ton set-up
- (1) L-Tec PCM-70 amp Hand Plasma Cutter 3/4" Aluminum cap
- (6) Hyd-Mech V-18 Semi-Auto Vertical Band Saw 18" x 18" x 18" w/ 26"x34" tbl & 45° miter & auto feed
- (1) Hyd-Mech S20P Semi-Auto Horizontal Band Saw 12" x 18" part w/ 45° miter & hydr vises
- (1) Hyd-Mech 370-2S1 Semi-Auto Column Cold Saw 7"x3.75" part w/ 60° left / 45° right miter
- (1) Accushear 72" x 1/4" capacity w/ 36" programmable back gauge
- (1) Airflow Systems Downdraft Deburring Table 42" x 64" (DT-3000 or DT-35)
- (1) 24" Timesaver De-Salgger machine
- (1) Renegade TMB-7000 Automatic Parts Washer 30"x22"x21" @ 500 lbs & 26psi @ 175°
- (1) Bridgeport Series SJ Special Mill 1500 lb worktable w/ power tbl feed & N.C. readouts & rugged V Ram
- (3) Bridgeport Vert Mill w/ 48" table & readout
- (1) 15" Harrison Tool Room lathe
- (4) 22" Feeler Drills
- (1) 4' American Radial Drill
- (1) 24" Grob Vert Band Saw
- (1) Wells model 8 Horiz Cut-Off Saw
- (1) Dake Cold Saw
- (1) Gallmeyer & Livingston Grinder 10" x 36"
- (1) Hydro-Brasive Surface Grinder 10" x 20"
- (1) Norton Surface Grinder 6" x 18"
- (2) Okamoto Surface Grinder 6" x 18"
- (1) Harig Surface Grinder 6" x 10'
- (1) 100-ton Dake Hydraulic Straightening Press 36" x 40" bed
- (1) 135-ton Toledo Punch Press w/ air cushion
- (1) 245-ton Minster Punch Press w/ air cushion
- (1) 300-ton Bliss Punch Press
- (1) Miller 450 Deltaweld MIG Machine w/ Miller S-54D series feed
- (1) L-Tec 25 Migmaster MIG Welding Machine w/ wire feed
- (1) 2500 lbs Ransome Weld Positioner 30" x 30" tbl
- (1) Dispatch Electric Oven 14" x 18" x 20" @ 550° F
- (1) Clausing IBARMIA BX-35 Drill Press 20" w auto feed
- (1) Work-A-Matic Saw 18" x 30" tbl w/ 3/4" blade
- (1) 24" Ramco Timesaver Wide Belt Flat Sander
- (1) Power Slip Roller 3/16" x 48" w/ drop end 4" dia rolls
- (1) 6" Baldor Pedestal Grinder
- (1) Power-Matic 31A Vert/Horiz Belt Sander 6" x 48" belt head w/ 12" disk & 17"x 9" tbl
- (1) Bonal 2400 Metal-Lax Vibratory Stress Relief Mach semi-auto relief & weld conditioning w/ touch screen & graphic certs @ 6,000 lbs data graph
- (3) 20" Disc Sanders
- (2) Granite Final Inspection Table 48" x 96" x 4" Block
- (1) Granite Final Inspection Table 36" x 96" x 4" Block
- (1) Steel Surface Initial Inspection Table
- (1) Steel Set-up Table 55" x 74" x 2"
- (1) Steel Set-up Table 60" x 144" x 2"
- (1) Steel Set-up Table 48" x 72" x 2"
- (1) Steel Set-up Table on casters 36" x 60" x 1-1/2"
- (2) 24" Mitutoyo Height Gauges
- (1) 18" Mitutoyo Height Gauge
- (1) 12" Mitutoyo Height Gauge
- (1) Trimos Vertical Touch N.C. Height Gauge 24"- 32" ht
- (1) Climate Controlled Inspection Room
- (1) Mitutoyo Optical Comparater
- (1) Mitsubishi 3015 LZP 3600W Laser 120" x 60" x 3.5" tvl w/ (2) flat pallet shuttle tables @ 0.5" AL, Stainless & Galvanized Steel w/ 0.75" Mild Steel
- (1) Waterbury Farrel Transfer Press
- (2) Gemini Escomatic Swiss Lathe
- (?) Feeders / Straighteners
- (1) 10K lbs Decoiling
- (1) 5 ton Jib Crane
- (1) 3-ton Jib Crane

- (1) Miller Syncrowave 250 welder
- (1) Infra Pak Shrink wrap machine
- (?) Mechanical Desktop CAD CAM (?) Esprit 3D CAD CAM (?) Auto CAD
- (?) Solid Works
- (?) Polyworks

**Return Survey to:** 

OR

Drop it off in the Small Business Office - DSCC Columbus, Building 20, Room B117South

email: MfgCapabilitySurvey@dla.mil

Any questions call 800-262-3272



#### **Manufacturing Capability Survey**



#### http://www.dscc.dla.mil/offices/smbusiness/

Survey and Sample are located Under –

"Current Business Opportunities:"

Socioeconomic Program Set-Aside Request (SEPSAR) Form

**DLA Land and Maritime Procurement Initatives** 

**Contacts for Subcontracting Opportunities** 

Value Management

**RPPOB Program Description** 

**RPPOB Candidate List** 

Source Approval Request (SAR) Template

**Manufacturing Capability Survey** 

**Sample Manufacturing Capability Survey** 

Direct Soliciations by the Military

Air Force Long Range Acquisition Estimate (LRAE)

**Army Single Face to Industry (ASFI)** 

Navy Electronic Commerce Online (NECO)



Save to desk top and just start filling in



IN refreet selfens	
The Dear Training Land and	
Maritime	
Workforce Development Culture	

_	CAPABILITY STATEMENT FOR DEFENSE SUPPL Company Name:								Y CENTER COLUMBUS			
									CAGE Code:  DUNS #:   No das			
	POC's Name:							Position:				
	Ac	ldress:						Office Pho				
	0:	h. 04 3'						Cell Phon	e:			
		ty, St., Zip:						Fax:			_	
	En	nail :	0.TD\/_E0	0110 1111 11							_	
						ry is the main focus of your			ties?			
		Maritime Automo				e / Land Vehicles		ectronics		Aerospace	1	
	COMMODITY FOCUS: (Mark type of commodities you						you ma					
		Struct	Structural Components			Pumps / Valves	List Other Commodities:					
	<b> ★</b>	Power	Power train Components  Suspension Components		Pneumatics / Hydraulics				<u> </u>			
		Suspen				Plumbing / Fixtures						
"X" o	only s you do			Gun / Weapon Parts		Lists other areas of expertise company						
	•	tners)	/ Axle Components		1	Tubes / Hoses		has that may or may not be on your website (should at least match your				
	Arresting / Braking Systems			Electrical / Electronic	we	website), i.e. Primary business			-			
	C C						Co	Composite Structural Components but				
							als	o have F	ibe	r Glass Molding S	hop	





	Ca	sting		Extrusions		List Other Processes:			
	Fo	rging		Packaging					
	St	nmping		Plating	_				
	Gr	inding	1	Electronic / Electrical Assembly		Lists other areas of specific			
	▲ Sc	Screw Threads Machining Welding		Tooling / Pattern Making		Lists Other areas or specific			
	/ Ma			Surface Treatment		process expertise			
Į,	W			Painting	L				
	As	sembly		CARC Paint Coatings & Corrosion Treatment					
<b>/</b> [	Ki	ting							
/[	Se	wing /		Sheet Metal					
/ [		MATERIAL C	APABI	ITIES (Mark all that apply and note any additional capabilities)					
/ [	St	eel (Carbon)		Precious Metals		List Other Material Capabilities:			
/		Stainless Steel Tool Steel		Hastelloy					
	To			Inconel					
'X" onl	V	rate		Monel					
	•	h		Powdered Metals	<b>Oth</b>	her Exotic materials not			
tems y	ou c	0 m		Fabric	_ alr	already listed			
or worl	k wi	h		Rubber	all	eady listed			
<del>/                                    </del>	· • • • • • • • • • • • • • • • • • • •			Plastic					
[	Br	ass		Ceramic					
	Tit	anium		Composite					
	Ni	kel		Glass					
		MANUFACTURING	CAPA	BILITIES OR LIMITATIONS (	.e. Dimer	nsions, Tolerances, etc)			
[	1		_	4					
	2			5					

**List Capabilities, Limitations, Tolerances** 





	EQUIPMENT LIST [Major machinery (Number, Make / Model, Type, Press & Crane Tonnage, etc)]									
	1	Listing - "6 Bridgeport Mills"	s" does not explain anything							
	2	12	12							
piece # of o or M size,	e / teac and we	for detailed information on each type of equipment including: th model, #-axis, Make, Model, CNC ual, size of work area (xyz), table light of bilit, lathe - cutting dia, distance between centers and								
speci	aliz	zed attachments								
	9	19								
	10	20	20 list in "Other Information Section"							
	MILITARY or INDUSTRY CERTIFICATIONS / QUALITY SYSTEMS IN PLACE:									
	1	4	4							
	2		5							
	3	List all Quality Certifications: - ISO9000, AS9100, ITAR, NADCAP (AWS D1.1 & D1.2), MIL-I, Boeing	AP cert for Phosphate coatings or Welding							
		(AVV3 DI.I & DI.Z ), WIIL-I, BUEIIIR	g etc.							





SMALL BUSINESS SOCIO-EC	ONO!	IIC PROGRAM CLASSIFICATIONS									
Small Business HUBZone Certif  Small Disadvantaged Business   ✓ Service Disable  Woman Owned Small Business 8(a) Program	ied	Che Eco	eck ALL Socio- nomic progra rently Qualifi	ms							
OTHER INFORMATION (eg: FSCs - NAICS - V	Veb sit	e - Overflow of other sections): ARE	A EXPANDS								
Web: Important: Website (if have How many Axes' is your machinery capable of maxis		-									
FSCs - Listed on Solicitation		Note:  - Buyers do most ALL Senew sources by FSC Code provide vise NAICS	Ü								
DISTRIBUTORS/DEALERS: List Name of Approved S	DISTRIBUTORS/DEALERS: List Name of Approved Source(s) of Supply & CAGE(s) w/FSC's -										
Return Survey to: email: MfgCapabilitySurvey@dla.mil	OR	Drop it off in the Small Business Office - DSCC Columbus, Building 20, Room B117South Any questions call 800-262-3272									
Survey Return Email Address											



# Example Manufacturing Capability Survey Body



	INDUSTRY FOCUS What industry is the main focus of your manufacturing capabilities? (mark any that apply)										
X	Maritime	Х	Autom	otiv	e / Land Vehicles	EI	ectronics	X	Aerospace		
	C	MODITY FOO	:US:	you ma	nufacture, list	any	additional)				
x	Structural Co	omp	onents	x	Pumps / Valves		List (	Other	Commodities:		
X	Power train 0	Com	ponents	x	Pneumatics / Hydraulics	N			n Machined Parts and emblies		
x	Suspension (	Com	ponents		Plumbing / Fixtures	Me	etal Stamping	ı / To	ool Room & Pressroom		
	Fuel System (	Com	ponents	x	Gun / Weapon Parts	т	ool & Die De	sign	/ Welded Assemblies		
x	Steering / Axle	Cor	mponents		Tubes / Hoses		Brack	cets	& B/O Plates		
x	Arresting / Bra				Electrical / Electronic	Electrical / Electronic Medical / De			erospace Fixture Details		
L	F	PRO	CESS CAPA	BILI	TIES: (Mark all that apply	and not	e any additiona	al cap	oabilities)		
	Casting				Extrusions		List Other Processes:				
	Forging			X	Packaging		Wire EDM				
	Stamping			X	Plating		CNC Machining				
	Grinding				Electronic / Electrical Asse	mbly	mbly Precision Metal Stampin				
X	Screw Threads			X	Tooling / Pattern Making		Deep draws				
X	Machining			X	Surface Treatment		Extrusions				
X	Welding			X	Painting		Complex forms				
Х	Assembly			Х	CARC Paint		High-Def Plasma Cutting				
Х	Kitting				Coatings & Corrosion Trea	tment					
Х	Sewing				Sheet Metal		Drilling				
		MA <sup>°</sup>	TERIAL CAP	ABI	LITIES (Mark all that apply a	nd note	any additional	сар	abilities)		
X	Steel (Carbon)				Precious Metals		List Oth		aterial Capabilities:		
X	Stainless Steel		· · · · · · · · · · · · · · · · · · ·	X	Hastelloy		HSLA				
X	Tool Steel		· · · · · · · · · · · · · · · · · · ·	X	Inconel		Chromemoly				
	Armor Plate			X	Monel				Invar		
Х	Cast Iron			Х	Powdered Metals		Armor (Steel)				
Х	Aluminum				Fabric			Allo	by Steels		
Х	Copper				Rubber		Hot 8	Col	d Rolled Steel		
Х	Bronze			х	Plastic		Wood				
Х	Brass			х	Ceramic						
X	Titanium			х	Composite						
X	Nickel	X Glass		Glass							



# Example Manufacturing Capability Survey Body (cont'd)



	MANUFACTURING CAPABILITIES OR LIMITATIONS (i.e. Dimensions, Tolerances, etc)								
1	Rounds - to 10" dia x 110" lg	4	Standard tol: +/005"						
2	Flats / Squares: 10" x 32" x 48" (xyz)	5	Precision tol: +/0005"						
3	Forming +/015; Burning +/030	6	High Precision tol: +/0001"						
		er, M	r, Make / Model, Type, Press & Crane Tonnage, etc)]						
	(1) Ikeda RMS-9 Radial Drill – 9" column w/ 3' lg		(1) Chmer G64S Submerged type Wire Cut EDM – 23.6" x						
	& 23x37 work area w/ 2" drill & 1.2" tapping & 4"		16" (xy) w/ 4"x4"x12" (xyz) tvl & 36"x27.5"x11.6" part @ 992						
1	boring	11	lbs						
	(1) 3-axis Okuma MC-4VAE <u>VMC</u> – 36" x 16" x		(1) Ikegai CNC turning center – 8" dia x 12" lg w/ 9x13 (xz)						
2	18 tvl & 39x20 tbl @ 1K lbs	12	tvl & 1.75" bar & LNS 12' bar feeder w/ live tooling						
	(1) Hansvedt SM-150B Conventional EDM - 6"		(1) 110-ton Clearing #110 Open Back Inclinable OBI						
_	x 8" (xy) tyl & 9x15 tbl w/ 6x8 tbl tyl & 5"x13"		Punch Press – 6" stroke x 42" x 28" bed w/ 28x21 slide &						
3	platen	13	16" throat						
	(1) Milltronics VM30IL CNC Mill – 60" x 30" x 24"		(1) 75-ton Bliss C-75 OBI Punch Press – 6" stroke x 36" x						
4	(xyz) tbl & 66"x 26" tbl	14	24" bed w/ 24x18 slide & decoiler / straitener						
	(1) Kohema Gap Bed Lathe – 21" x 48" geared		(2) Escomatic D6 Swiss Type Auto Screw Lathes – 0.24"						
5	head w/ 26.75" gap	15	spindle hole <u>dia</u> & 1.4" tapping						
	(1) Moore #3 Jig Grinder – 12" x 24" w/ 0.0001		(1) 3-axis Lagun FTV-2S Manual VMC mill – 33" x 16" x						
6	digital readout	16	16" (xyz) tyl & 10x50 tbl						
_	(8) Bridgeport Vert Mill w/ 42" table & digital		(2) Supermax YC 1 1/2 VS Vert Mills – 39" x 17" x 5.5"						
7	readout	17	(xywz) tyl & 9"x49" tbl						
_	(1) Brown & Sharpe <u>Microval</u> 343 <u>CMM</u> – 14" x		(1) 22-ton Bliss C-22 Punch Press – 2" stroke x 23.5" x14"						
8	16" x 12"	18	bed w/ 10.25x8 slide & 7.5" throat						
_	(1) 40-ton Rousselle Punch Press – 3" stroke x		(1) 60-ton Niagara OBI Punch Press – 3.5" stroke x 32" x						
9	26" x 16" bed w/ 9.5" throat	19	21" bed w/ 21x16 ram & 11" throat						
140	(1) 7-axis 2.5 meter Romer Arm Portable CMM		(1) 121-ton Heller-Sutherland Mark-121 OBS Punch						
10	w/ laser scanner & Reverse Engineering Cap	20	Press – 4.3" stroke x 45" x 27" bed						
			IONS / QUALITY SYSTEMS IN PLACE:						
1	ISO 9001:2008	4	AWS D1.1 & D1.2						
			Alliance w/ Troy Engineered Components & Assemblies						
2	ISO / TS 16949:2009	5	(TECA)						
3	ITAR compliant	6							



### Example Manufacturing Capability Survey Body (cont'd)



	SMALL BUSINESS SOCIO-ECONOMIC PROGRAM CLASSIFICATIONS									
X Small Business HUBZone Certified Other:										
	Small Disadvantaged Business	x	Service Disabled Veteran Owned							
X	Woman Owned Small Business		8(a) Program							
	OTHER INCORMATION (og. ESCa. NAICS, Web site. Overflow of other sections): AREA EXPANDS									

Web: <u>www.ishmaelcorp.com</u>

How many Axes' is your machinery capable of maximizing?

FSCs - 2510, 2540, 5340, 5342

<u>NAICS</u> - 332119, 332312, 332322, 332323, 332439, 332510, 332710, 332721, 332722, 332994, 332999, 333514, 333517, 336360, 336370, 336390, 336413, 336419, 336991, 336992

DISTRIBUTORS/DEALERS: List Name of Approved Source(s) of Supply & CAGE(s) w/FSC's -

- (2) 4-axis FADAL 2040A CNC VMC 40" x 20" x 28" (xyz) & 48"x20" tbl w/ 40 taper
- (1) 4-axis FADAL 3060A CNC VMC 30" x 16" x 20" (xyz) & 39"x16" tbl w/ 40 taper
- (1) 3-axis PROTOTREAK, DPM BED MILL 33" x 16" x 17" (xyz) tvl w/ AGE 3 controller
- (1) Messer Pro-Master II 4700.6704, CNC operated, Fine Plasma Cutting system @ 1" AL & Steel & 3/4" Stainless Steel cutting
- (1) 135-ton Cincinnati Series 5 Hydraulic Press Brake 3" stroke x 96" bed w/ 36"x1/4 bend & 8" throat
- (1) Roper Whitney Piercing Pro-Fab Hardware Press 15" x 30" w/ 1" to 1/8" dia @ 15-ton set-up
- (1) L-Tec PCM-70 amp Hand Plasma Cutter 3/4" Aluminum cap
- (6) Hyd-Mech V-18 Semi-Auto Vertical Band Saw 18" x 18" x 18" w/ 26"x34" tbl & 45° miter & auto feed
- (1) Hyd-Mech S20P Semi-Auto Horizontal Band Saw 12" x 18" part w/ 45° miter & hydr vises
- (1) Hyd-Mech 370-2S1 Semi-Auto Column Cold Saw 7"x3.75" part w/ 60° left / 45° right miter
- (1) Accushear 72" x 1/4" capacity w/ 36" programmable back gauge
- (1) Airflow Systems Downdraft Deburring Table 42" x 64" (DT-3000 or DT-35)
- (1) 24" Timesaver De-Salgger machine
- (1) Renegade TMB-7000 Automatic Parts W
- (1) Bridgeport Series SJ Special Mill 1500
- (3) Bridgeport Vert Mill w/ 48" table & readou
- (1) 15" Harrison Tool Room lathe
- (4) 22" Feeler Drills
- (1) 4' American Radial Drill
- (1) 24" Grob Vert Band Saw
- (1) Wells model 8 Horiz Cut-Off Saw
- (1) Dake Cold Saw
- (1) Gallmeyer & Livingston Grinder 10" x

This is the Overflow of other sections and will expand for as long as you wish to type.

Add additional Equipment (with data), Commodities, Processes, etc. (Had one company send FOUR (4) pages worth of data)



## Example Manufacturing Capability Survey Body (cont'd)



- (1) FOWER-MALICATA VELUTION DELL'ARTUEL O X 40 DELL'HEAU WITZ UISKOLTI X 9 LUI
- (1) Bonal 2400 Metal-Lax Vibratory Stress Relief Mach semi-auto relief & weld conditioning w/ touch screen & graphic certs @ 6,000 lbs data graph
- (3) 20" Disc Sanders
- (2) Granite Final Inspection Table 48" x 96" x 4" Block
- (1) Granite Final Inspection Table 36" x 96" x 4" Block
- (1) Steel Surface Initial Inspection Table
- (1) Steel Set-up Table 55" x 74" x 2"
- (1) Steel Set-up Table 60" x 144" x 2"
- (1) Steel Set-up Table 48" x 72" x 2"
- (1) Steel Set-up Table on casters 36" x 60" x 1-1/2"
- (2) 24" Mitutoyo Height Gauges
- (1) 18" Mitutoyo Height Gauge
- (1) 12" Mitutoyo Height Gauge
- (1) Trimos Vertical Touch N.C. Height Gauge 24"- 32" ht
- (1) Climate Controlled Inspection Room
- (1) Mitutoyo Optical Comparater
- (1) Mitsubishi 3015 LZP 3600W Laser 120" x 60" x 3.5" tvl w/ (2) flat pallet shuttle tables @ 0.5" AL, Stainless & Galvanized Steel w/ 0.75" Mild Steel

OR

- (1) Waterbury Farrel Transfer Press
- (2) Gemini Escomatic Swiss Lathe
- (?) Feeders / Straighteners
- (1) 10K lbs Decoiling
- (1) 5 ton Jib Crane
- (1) 3-ton Jib Crane
- (1) Miller Syncrowave 250 welder
- (1) Infra Pak Shrink wrap machine
- (?) Mechanical Desktop CAD CAM
- (?) Esprit 3D CAD CAM
- (?) Auto CAD
- (?) Solid Works
- (?) Polyworks

email: MfgCapabilitySurvey@dla.mil

Automatic continuation to next page

Drop it off in the Small Business Office - DSCC Columbus, Building 20, Room B117South

Any questions call 800-262-3272